



CHARLES D. FLAYHAN ASSOCIATES INC
880 CANAL STREET STAMFORD CT 06902
203 348 4300

SYMBOL LEGEND	
	EXISTING LIGHTING FIXTURE TO BE REMOVED
	SWITCH LOWER CASE LETTER DENOTES FIXTURE CONTROLLED
	KEY OPERATED SWITCH
	NEW CONDUIT FOR TELEPHONE WIRING
	NEW CONDUIT FOR LOW VOLTAGE DATA CABLES
	AIR CONDITIONING SUPPLY DIFFUSER SEE MECHANICAL DRAWING FOR SIZE, TYPE & DUCTWORK

DATE	ISSUED TO	PR	TR
12-7-84	PORT AUTHORITY FOR APPROVAL CIVIL ENGINEER FOR RECORD	10	1
1-18-85	PORT AUTHORITY FOR APPROVAL CIVIL ENGINEER FOR INFORMATION	10	1

CONTRACT NO. 3104
DATE APRIL 1/28/85


NO.	DATE	REVISION	BY
1	1-11-85	ADDED CEILING DETAIL	JFP

CANTOR, FITZGERALD SECURITIES CORP.
105th FLOOR
ONE WORLD TRADECENTER, NEW YORK N.Y.

NEW CORPORATE BOND TRADING ROOM
REFLECTED CEILING PLAN


PROJECT NO. 357A
SCALE 1/4" = 1'-0"
DRAWN BY J.F.P.
CHECKED BY
DATE 12-6-84

DRAWING NO. 105F
4



NOTE:
FINISH CEILING SHALL ALIGN WITH EXISTING CEILING IN THIS AREA, CEILING HEIGHT 8'-0\"/>




NOTE:
THIS DRAWING SHALL BE USED FOR CEILING LAYOUT, SWITCHING ARRANGEMENT, EQUIPMENT LOCATION ONLY. SEE ELECTRICAL ENGINEERING DRAWINGS FOR CIRCUITING, PANEL BOARD CONNECTIONS & ELECTRICAL SPECIFICATIONS



KEY PLAN
1/4\"/>

DETAIL FOR CONCEALED SPLINE CEILING
@ 3\"/>

PART PLAN 105TH FLOOR

SCHEDULE OF LIGHTING FIXTURES									
NO	SYMBOL	MANUFACTURER & CATALOG NO.	DIMENSIONS	LAMP TYPE	TOTAL NO. REQD.	TOTAL NO. REMOVED	NO. REUSED	NEW REQD.	REMARKS
L-1		EDISON PRICE "VISIONAIR" V-4140-C2-277 RECESSED FLUORESCENT DOUBLE LAMP PARABOLIC AIR HANDLING	L = 4'-0" W = 1'-0" H = 5 3/4"	(2) F-40T-12 DELUXE WARM WHITE	17	17	17	0	
L-2		LIGHTOLIER 38J24 OPEN REFLECTOR RECES- SED DOWNLIGHT WITH SPECULAR CLEAR ALZAK REFLECTOR	6" APERTURE 7 1/2" O.A. DIA. 8 3/4" HIGH	100 W A-19	6	0	0	6	SIZE CIRCUIT FOR POSSIBLE USE OF 150W LAMPS
L-3		LIGHTOLIER 38NT1 OPEN REFLECTOR RECESSED DOUBLE WALL WARMER WITH SPECULAR CLEAR ALZAK REF- LECTOR	5 1/2" APERTURE 7 1/2" O.A. DIA. 9 1/4" HIGH	100 W A-19	6	0	0	6	SIZE CIRCUIT FOR POSSIBLE USE OF 150W LAMPS

NOTE: THE USE OF PLASTIC LIGHTING FIXTURE DIFFUSERS IS PROHIBITED IN THE WORLD TRADE CENTER